





Niethülse **Aluminium**
 Nietdorn **Stahl verzinkt**
 Extra Großkopf 16.0 mm



ÄHNLICH
 DIN EN ISO 15977

$\varnothing d$	l	min - max	\varnothing	$\varnothing d_k$	k max.	$\varnothing d_m$ max.	p min.	[N]	[N]	Code
4.8	10.0	4.0 - 6.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34810
	12.0	6.0 - 8.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34812
	14.0	7.0 - 9.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34814
	16.0	8.0 - 12.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34816
	18.0	11.0 - 13.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34818
	20.0	12.0 - 15.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34820
	22.0	14.0 - 17.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34822
	24.0	15.0 - 19.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34824
	25.0	15.0 - 20.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34825
	26.0	17.0 - 21.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34826
	28.0	18.0 - 23.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34828
	30.0	20.0 - 25.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34830
	35.0	25.0 - 30.0	4.9 - 5.0	16.0	2.5	2.95	27	2500	1700	10AS34835
5.0	10.0	4.0 - 6.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35010
	12.0	6.0 - 8.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35012
	14.0	7.0 - 9.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35014
	16.0	8.0 - 12.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35016
	18.0	11.0 - 13.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35018
	20.0	14.0 - 16.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35021
	24.0	15.0 - 19.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35024
	27.0	20.0 - 22.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35027
	30.0	20.0 - 25.0	5.1 - 5.2	16.0	2.5	2.95	27	2950	1950	10AS35030