





Niethülse **Aluminium**
 Nietdorn **Edelstahl A2**
 Flachrundkopf





ÄHNLICH
 DIN EN ISO 15977

$\varnothing d$	l	min - max	\varnothing	$\varnothing d_k$	k max.	$\varnothing d_m$ max.	p min.	[N]	[N]	Code
3.0	6.0	1.5 - 3.5	3.1 - 3.2	6.0	1.3	2.00	25	700	550	10AX13006
	8.0	3.5 - 5.0	3.1 - 3.2	6.0	1.3	2.00	25	700	550	10AX13008
	10.0	5.0 - 7.0	3.1 - 3.2	6.0	1.3	2.00	25	700	550	10AX13010
	12.0	7.0 - 9.0	3.1 - 3.2	6.0	1.3	2.00	25	700	550	10AX13012
	14.0	9.0 - 11.0	3.1 - 3.2	6.0	1.3	2.00	25	700	550	10AX13014
	16.0	11.0 - 13.0	3.1 - 3.2	6.0	1.3	2.00	25	700	550	10AX13016
3.2	6.0	1.5 - 3.5	3.3 - 3.4	6.0	1.3	2.00	25	1000	750	10AX13206
	8.0	3.5 - 5.0	3.3 - 3.4	6.0	1.3	2.00	25	1000	750	10AX13208
	10.0	5.0 - 7.0	3.3 - 3.4	6.0	1.3	2.00	25	1000	750	10AX13210
	12.0	7.0 - 9.0	3.3 - 3.4	6.0	1.3	2.00	25	1000	750	10AX13212
	14.0	9.0 - 11.0	3.3 - 3.4	6.0	1.3	2.00	25	1000	750	10AX13214
	16.0	11.0 - 13.0	3.3 - 3.4	6.0	1.3	2.00	25	1000	750	10AX13216
4.0	6.0	1.0 - 3.0	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14006
	8.0	3.0 - 5.0	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14008
	10.0	5.0 - 6.5	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14010
	12.0	6.5 - 8.5	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14012
	14.0	8.5 - 10.5	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14014
	16.0	10.5 - 12.5	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14016
	18.0	12.5 - 14.5	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14018
	20.0	14.5 - 16.5	4.1 - 4.2	8.0	1.7	2.45	27	1700	1100	10AX14020
4.8	8.0	2.5 - 4.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14808
	10.0	4.0 - 6.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14810
	12.0	6.0 - 8.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14812
	14.0	7.0 - 9.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14814
	16.0	8.0 - 12.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14816
	18.0	11.0 - 13.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14818
	20.0	12.0 - 15.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14820
	25.0	15.0 - 20.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14825
	30.0	20.0 - 25.0	4.9 - 5.0	9.5	2.0	2.95	27	2500	1700	10AX14830





Q-Standard



Niethülse **Aluminium**
 Nietdorn **Edelstahl A2**
 Flachrundkopf



DIN EN ISO 15977

$\varnothing d$	l	 min - max	 \varnothing	$\varnothing d_k$	k max.	$\varnothing d_m$ max.	p min.	 [N]	 [N]	Code
mm	mm	mm	mm	mm	mm	mm	mm	[N]	[N]	
5.0	8.0	2.5 - 4.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15008
	10.0	4.0 - 6.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15010
	12.0	6.0 - 8.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15012
	14.0	7.0 - 9.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15014
	16.0	8.0 - 12.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15016
	18.0	11.0 - 13.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15018
	20.0	12.0 - 15.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15020
	25.0	15.0 - 20.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15025
30.0	20.0 - 25.0	5.1 - 5.2	9.0	2.1	2.95	27	2950	1950	10AX15030	
6.0	8.0	2.0 - 3.0	6.1 - 6.2	12.0	2.5	3.40	27	4200	3200	10AX16008
	10.0	3.0 - 5.0	6.1 - 6.2	12.0	2.5	3.40	27	4200	3200	10AX16010
	12.0	5.0 - 7.0	6.1 - 6.2	12.0	2.5	3.40	27	4200	3200	10AX16012