








Q-Multigrip-Blister





Body **Steel Zinc plated**
 Stem **Steel Zinc plated**
 Dome head








$\varnothing d$	l	 min - max	 \varnothing	$\varnothing d_k$	k max.	$\varnothing d_m$ max.	p min.	 [N]	 [N]		code
3.2	11.0	1.0 - 6.0	3.3 - 3.4	6.0	1.3	2.30	27	1200	1000	100	15SS132112
	14.0	4.0 - 9.0	3.3 - 3.4	6.0	1.3	2.30	27	1200	1000	100	15SS132142
4.0	11.0	1.5 - 5.0	4.1 - 4.2	8.0	1.7	2.90	27	2000	1500	100	15SS140102
	15.0	5.0 - 9.5	4.1 - 4.2	8.0	1.7	2.90	27	2000	1500	75	15SS140152
4.8	12.7	1.0 - 7.5	4.9 - 5.0	9.5	2.0	3.40	27	2900	2400	75	15SS148122
	17.5	6.3 - 12.7	4.9 - 5.0	9.5	2.0	3.40	27	2900	2400	75	15SS148172



Body **Stainless Steel A2**
 Stem **Stainless Steel A2**
 Dome head



$\varnothing d$	l	 min - max	 \varnothing	$\varnothing d_k$	k max.	$\varnothing d_m$ max.	p min.	 [N]	 [N]		code
3.2	8.0	1.0 - 4.0	3.3 - 3.4	6.0	1.3	2.30	27	2000	1700	100	15XX132082
	12.0	2.0 - 7.0	3.3 - 3.4	6.0	1.3	2.30	27	2000	1700	100	15XX132122
4.0	10.0	1.5 - 5.0	4.1 - 4.2	8.0	1.7	2.90	27	3400	2700	100	15XX140102
	12.0	3.0 - 7.0	4.1 - 4.2	8.0	1.7	2.90	27	3400	2700	100	15XX140122
	15.0	5.0 - 9.5	4.1 - 4.2	8.0	1.7	2.90	27	3400	2700	75	15XX140152
4.8	10.0	1.5 - 5.0	4.9 - 5.0	9.5	2.0	3.40	27	4500	4000	75	15XX148102
	12.0	3.0 - 7.0	4.9 - 5.0	9.5	2.0	3.40	27	4500	4000	75	15XX148122
	15.0	6.5 - 10.0	4.9 - 5.0	9.5	2.0	3.40	27	4500	4000	75	15XX148152
	17.5	9.0 - 12.5	4.9 - 5.0	9.5	2.0	3.40	27	4500	4000	75	15XX148172